


# CATALOG No. 42

MANUFACTURERS AND NATION-WIDE DISTRIBUTORS OF QUALITY TOOLS

# L. F. LEPREVOST. 1043 BERKENINE AVE. INDIAN ORCHARD, MASS.



# FOR QUICK SERVICE USE THIS CARD!

## PRINT PLAINLY AND GIVE YOUR RETURN ADDRESS

#### TRUTH TOOL CO., MANKATO, MINN.

Please fill my order for the following tools and ship at once parcel post C. O. D.

NAME OF T	TOOL	PRICE
		-
		19-3-1
		1 1 2 3
		-
	1	
	TOTAL	
ME		
REET		
ГҮ	STATE	

DETACH HERE

Catalog No. 42


#### **GUARANTEES**

The following guarantee applies to all detachable socket wrenches, open end wrenches, ratchets, socket handles and parts as well as pliers or other tools which are now being manufactured or may be later manufactured under the Code of Fair Competition For The Wrench Industry:

Pursuant to industry code all express guarantees are withdrawn and are limited to defects in workmanship and material. No claims will be allowed until after shipment is received at factory, shipping charges prepaid, and determination by us of defect.

#### SPECIAL TOOL GUARANTEE

All Truth Special Tools still carry the same guarantee as they have in the past.





#### SAME DAY SERVICE!

All orders for Truth Tools are shipped the same day received. If in need of any tools pictured in this catalogue it is not necessary to wait for a salesman to call. Tear out one of the convenient mailing cards placed in the front and rear of this book, place your order on it along with your return address and you will receive immediate attention. Your salesman will receive credit.



# Eight Reasons why Smart Buyers are changing to Truth Sockets!

The big reason why Truth Sockets have gained so rapidly in popularity the last few years is easy to find. Socket users found that they could be relied upon to handle the toughest jobs! This year we are pleased to announce a complete and new line of all styles of sockets as well as handles and parts. You need only to try them to be thoroughly pleased.

#### **1. THE "LOCK-TITE" FEATURE**



All Truth "Strait-Wal" and "Rite-Grip" Junior Sockets are now equipped with this simple device which causes them to fit tightly on handles. If you do not wish to make use of the feature just turn the socket so that the ball in the handle will not slip into the "Lock-Tite" hole. Truth Sockets will fit other standard handles and Truth handles fit other sockets.

#### 2. CHROME MOLYBDENUM STEEL

Truth "Strait-Wal" and "Rite-Grip" Junior Sockets are now being made from this fine steel. Each socket is tempered correctly and you will be surprised with their unusual strength and wear-resisting qualities. If it's a Truth Socket you are using you can pull with confidence.

#### **3. HANDSOME CADMIUM PLATING**

All Truth Sockets are not only made right on the inside but are now beautifully finished on the outside with rustproof Cadmium Plate.

2

All prices subject to change without notice.



#### 4. ACCURATE BROACHINGS

Every Truth Socket will correctly fit standard sized nuts and cap screws. A correct fit is important because it does away with excessive wear and breakage.

#### 5. FREE REPLACEMENT

Any defective Truth Socket will be replaced free of charge. Read our complete guarantee on page 1.


#### 6. EXTRA THIN WALLS

Truth Sockets this year are thinner than ever before. Compare their thinness and strength to other ordinary sockets you have used.

#### 7. REASONABLY PRICED

Truth Sockets are the cheapest to use in the long run. They offer you more strength per penny.

#### 8. REMARKABLY STRONG!



We have designed, in our Research Dea socket partment, a socket testing machine which cannot lie. actual pounds The pressure that it takes to break a Truth Socket is shown on the dial in the upper left-hand corner of The the picture. tester has enabled us to check our temper-ing methods, decide on the most suitable steels, and test sock-ets of Truth manu-facture a g a i n s t other brands. A 34-inch Truth "Strait-A 3/4 inch Wal" Socket is being

tested. With a wall thickness of only 1/16-inch through its thinnest point it stood a 300-lb. pull without breaking!



**TRUTH "STRAIT-WAL" SOCKETS** 

#### ½" Handle Openings "Lock-Tite" Feature **Chrome Molybdenum Steel**



Whether you need a complete set of sockets or only a few sizes to fill in your present set you will want the best. Try these new sockets on your toughest jobs.

Sizes	Price	Sizes				Price	Sizes		Price
$\frac{7}{16}$ "	0.45					\$0.50	$\frac{15}{16}''$		\$0.65
1/2 "	.45	3/4 "				.50	1"		.65
<u>9</u> "	.45	25 "				.55	$1\frac{1}{16}''$		.70
19"	.45	13/				.55	1 1/8 "		.75
5% "	.50	7/8 "				.55	$1\frac{3}{16}''$		
<u>21</u> "	.50						11/4 "		
<b>First</b> twelve	sizes		 •		•			• •	\$6.00

#### **TRUTH "RITE-GRIP" SOCKETS**

1/2" Handle Openings



The above sockets have tapering walls and are very durable. Mechanics like their design as well as their strength.

Sizes							ric		Si	z	e	5					P	rie	ce	S	iz	es				Pric	e
$\frac{7}{16}''$ .						\$0	.3	5	21	"						. :	\$(	).4	-0	1	3 //				. 5	\$0.5	0
1/2 " .		•		•			.3	5	11	"								.4	0	7	8 1	,				.5	0
$\frac{9}{16}''$ . $\frac{19}{32}''$ . $\frac{5}{8}''$ .				•			.3	5	3/	ŧ'	"				•			.4	0	1	5 "					.5	0
$\frac{19}{32}''$ .					•		.3	5	25	"								.4	5	1	"					.5	5
First	t	W	76	el	Ve	e	siz	es		•	•	•	•	•	•	•								•	. 5	\$4.9	5

#### TRUTH "STRAIT-WAL"



close places. Sizes



Price



UNIVERSAL SOCKETS 1/2" Handle Openings "Lock-Tite" Feature

**Chrome Molybdenum Steel** These twelve-point Universal Sockets are a great help in They lock solidly in any right angle position. Sizes Price

$\frac{1}{2}$ " \$1.50	$\frac{11}{16}$ "	\$1.50
$\frac{9}{16}''$ 1.50 $\frac{5}{8}''$ 1.50	3/4 "	1.50
		\$7.50

Our guarantee protects your investment.





# TRUTH "STRAIT-WAL" 8 POINT SOCKETS

½" Handle Openings "Lock-Tite" Feature Chrome Molybdenum Steel

These eight-point sockets for square nuts are thin and strong. An assortment as above should be in every mechanic's tool kit.

Sizes			Price		Siz	ze	s				Price
3/8 "			\$0.40		11	"					\$0.45 .45
					3/4	"					.45
1/2 "			.40 .40		13/	"					.50 .50
					7/8	"					.50
5/8 "			.45 .45		1	"	•	•	•	•	.50

#### HANDLES AND PARTS

For ½" Handle Openings SIZES AND PRICES

SIZES AND PRIC	JE S
10	R-1-18" Flex. Han-
TRUTH	dle\$2.85
R-1	R-2-15" Flex. Han-
	dle 2.50
THOTH	R-3-11" Flex. Han-
R-2	dle 2.25
	R-4-Universal
(A	Joint 1.50
R-3	R-5-Drag Link
M R-4	Socket60
R-5	<b>R-6</b> —27-Point
R-3	Ratchet 3.50
R-6	R-7—14" Speed
R-7 R-8	
	Handle 1.40
R TRUTH	R-8-18" Speed
R-9	Handle 1.45
TRUTH	R-9-5" Exten-
R-10	sion
	R-10-10" Exten-
R-11	sion 1.00
Carlos Ca	R-11—Sliding Tee
R-12	Bar 1.00
TRUTH	<b>R-12</b> —10" Offset
R-13	Handle 1.00
	<b>R-13</b> —14" Offset
R-14	Handle 1.25
R-14	<b>R-14</b> —16" Flex
	Speeder 2.50
R-15-3" Extension (not shown).	
A regular service at yo	our service. 5





#### SPARK PLUG SOCKETS

½" handle openings. "Lock-Tite" feature. Chrome Molybdenum Steel.

All Truth Spark Plug Sockets are 3" in length with the exception of the  $\frac{13}{16}$ " Socket for Chevrolet Spark Plugs. This Socket is  $2\frac{1}{2}$ " long. Because nearly all Spark Plug Sockets must be very thin, you need the extra strength that is built into these tools by Truth.

Size	Price	Size	Price
3/4 "	\$ .80	15/16"	\$1.00
13/16"	.85	1″	1.05
% " Buick	.90	1 1/8 "	1.15
	Set of 6	\$5 75	

#### TRUTH FLEX HANDLE SETS <sup>36</sup>" handle openings.



Set No. 18R-Contains 12 "Rite-Grip" style sock-	
ets with the Truth 18" one-piece Flex Handle	
and Tee Bar	7 80
Set No. 18S-Contains 12 sizes of "Strait-Wal"	
Sockets which have the "Lock-Tite" holes and	
	8.85
Set. No. 15R-Contains 12 "Rite-Grip" Sockets	0.00
	7.45
Set No. 15S-Contains 12 "Strait-Wal" Sockets	
with "Lock-Tite" holes and 15" one-piece Flex	
Handle and Tee Bar	8.50
Set No. 10R-Contains the 10 most used sizes in	
"Rite-Grip" Sockets with the Truth 18" Flex	
Handle and Tee Bar	6.75
Set No. 10S-Contains the 10 most used sizes in	
"Strait-Wal" Sockets with the Truth 18" one-	
piece Flex Handle and Tee Bar	7.80
Set No. 10½R-Contains the 10 most used sizes	
in "Rite-Grip" Sockets and the Truth 15" Flex	
Handle and Tee Bar	6.45
Set No. 10 ½ S-Contains the 10 most used "Strait-	
Wal" Sockets with the 15" Flex Handle and	
Tee Bar	
Prices of boxes are not included in the above	list.
If a box is desired, add 85c to the above prices.	

6

Truth Tools properly handle difficult jobs.



#### NO. 11 FLEX HANDLE SETS



1/2" Square Handle Openings. The No. 11 set is another very

# NO. 16 FLEX SPEEDER SETS

16" Handle Openings.



The above set is a popu-lar one and the box is de-signed to hold additional parts should you wish to

purchase them later. Set No. 16R—Contains 12 "Rite-Grip" style sockets with 16" Flex Speed Handle \$7.45 Set No. 165—Contains 12 "Strait-Wal" Sockets with "Lock-

complete

handles and

standard

tained in

metal box.

ing items:

is a

The set has twenty pieces and is con-

contains the follow-

27-Point Ratchet

8.50

very

set of

sockets.

a heavy The set

parts.

..... 11.70 on page 5

If box is desired, add \$1.00 to the above price. TRUTH AIRMAN SET

1/2" Square Handle Openings This



- 11-Truth "Rite-Grip" Sockets, 7/16" to 15/16" inclusive.
- Link Socket. 1-Drag
- 1—Universal Joint. 1—10" Extension. 1—5" Extension.

1-Heavy Metal Box. 

 1--5' Extension.
 1-Heavy Metal Box.

 1--Sliding Tee Handle.
 1-Heavy Metal Box.

 Complete Set, with box as shown.
 \$19.95

 Complete Set, without box
 18.45

 Metal box only
 2.50

 Note-If 11 Truth "Strait-Wal" Sockets are wanted in 

Bar.

-Truth

and Plug.

stead of the 11 "Rite-Grip" style sockets, add \$1.00 to the price of the set. 7




The new Truth "Rite-Grip" Sockets now give even better service than they have in the past. Junior Sockets, Handles, Extensions, etc., are all equipped with the "Lock-Tite" feature and although the sockets are very thin, they stand up under hard jobs because of the Chrome Molybdenum Steel used in them. Each part is cadmium plated. This is a complete assortment from which you may pick to fill your small socket needs.

NO. 20 JUNIOR "RITE-GRIP" SOCKET SET ¾" Square Handle Openings "Lock-Tite" Feature. **Chrome Molybdenum Steel** 

This set contains 16 items as follows: Seven Items as follows: Seven 12-point sockets, sizes  $\frac{3}{6}$ ", 7/16",  $\frac{1}{6}$ ", 9/16"  $\frac{3}{6}$ ", 11/16" and  $\frac{3}{6}$ ", 11/16" and  $\frac{3}{6}$ "; three 8-point sockets,  $\frac{1}{6}$ ", 5/16" and  $\frac{3}{6}$ "; one  $\frac{3}{6}$ " Flex Handle and Tee Bar, one 27-point Junior Ratchet and Plug one Universal Plug, one Universal one 3" Extension, Joint,

Speeder.



one 12" Extension and one 16"

NO. 22 "RITE-GRIP" JUNIOR SOCKET SET

Contains the following items: Seven 12-point sockets, sizes 3%", 7/16", 1/2", 9/16", 5%", 11/16" and 34", two extra length Junior Sockets, sizes 1/2" and 9/16", one 3" Extension, one 12" Combination Extension and Tee Handle, one new 27-point Junior Ratchet and one 16" Speed Handle. .\$10.20

# **NO. 8 "RITE-GRIP" JUNIOR SOCKET SET**

A smaller set for mechanics who do not wish to invest in the complete set above but who prefer purchasing the most useful parts and building up. This set consists of seven 12-point sockets as shown with the Junior Ratchet and  $8\frac{1}{2}$ " Flex Handle and Tee Bar. A useful small set of wrenches

at a moderate price.

Price, as shown in metal box..... Price, as shown without metal box..... Metal box only .\$7.65 7.15 "RITE-GRIP" JUNIOR UNIVERSALS .75

The above sockets are very thin and compact and are valuable ad-ditions to any small socket set. They lock solidly in any right angle position. %" Jr. Universal Socket.\$1.40 7/16" Jr. Universal 5%". Socket

Socket 

Socket 1.40 . . . . . . . . . . . . . . .

Truth service can be had at nearest mail box.



9.20



%" Jr. Universal Socket.**\$1.50** 11/16" Jr. Universal Socket 1.50 34" Jr. Universal Socket. 1.50

MINNESOTA

6

7/16" 40c

1/4 "

350

J14.

J13, 65c

J12

\$2.50

J11,

\$1.85

\$1.50

"RITE-GRIP" JUNIOR SOCKETS, HANDLES AND PARTS

E TOOLS

#### %" Handle Openings

NOTE: The J15 Extension is now a Combination Ex-Handle. An extra bar is furnished with it. The J12 Ratchet is now similar in shape Truth the to Ratchet shown on page 8.

9

J16, J15, \$1.00 \$1.25

SPECIAL GA

11/16" 40c

40c

34 " 40c R TRU

an

%16"

350

400

1/2" 400

5/16" 35 c

MANKATO

OID

5%" 40c



3% 7/16

# "RITE-GRIP" JUNIOR DRAG LINK SOCKET

## "RITE-GRIP" JUNIOR EXTRA LENGTH 12 POINT SOCKETS



#### %" Handle Openings "Lock-Tite" Feature Chrome Molybdenum Steel

All Truth Extra Length Junior Sockets are 1½" long. They are in great demand for carburetor adjustments and in those places where a nut has to be run down an unusual distance.

•																							S														Pri	ic	e
	•									•	•	•		•		•		\$1	0.	5	0		9,	/1	16	3"	'	,		 	 						\$0	.5	õ
6"								• •												5	U		5%	s'	'													.5	0
•	•	•	•	•	•	•	•		•	•	•	•	•	•						5																			
															12	56	эt		0	эŤ		five	э.	- 1		2.	5	1											

# "RITE-GRIP" JUNIOR 8 POINT SOCKETS

%" Handle Openings "Lock-Tite" Feature

Chrome Molybdenum Steel For square nuts and cap screws.

Size 1/4" 5/16"																			ice				5i 7/			,										ri 80	
	•	•	•	•	•	•	•		 		•	•	•	•	•		. ,		.3	5		-	1/2	"													
3/8"	•	•	•	•		•	•	•		• •	•	•	•	•	•	•	 e		.3	5	fix	ve			81	8											

Reliable service yesterday, today, tomorrow.

# TRUTH TOOL TRUTH COMPANY

#### TRUTH HEAVY DUTY SOCKETS AND HANDLE PARTS

3⁄4″ Square Ada	ptors
HD 16 HD 15 HD 14 HD 13	No. Size Price H.D. 1-7%" Socket \$0.50 H.D. 2-15%6" " .50 H.D. 3-1%6" " .60
ND 12 HD 11 HD 10 HD 9 HD 9 HD 8	H.D. $4-1\frac{1}{6}$ " .70 H.D. $5-1\frac{1}{6}$ " .75 H.D. $6-1\frac{1}{4}$ " .85 H.D. $7-1\frac{5}{6}$ " .95 H.D. $8-1\frac{3}{6}$ " .105 H.D. $9-1\frac{7}{6}$ " .105
HD 7 HD 6 HD 5 HD 4 HD 4 HD 3 HD 4 HD 3 HD 2 HD 1 HD 1 HD 1 HD 1 HD 1 HD 1 HD 1 HD 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
HDH 25 Re TRUTH HDH 30 RE TRUTH	H.D.15—1 <sup>15</sup> / <sub>16</sub> " " 2.75 H.D.16—2" 2.95 H.D.25—Collar Joint 75 H.D.H.29—8" Ex- tension 1.25
	H.D.H.30—16" Ex. tension 1.50 H.D.H.31—20" Slid- ing Tee 2.75 H.D.H.32—Flex
нон за	Handle 4.50 H.D.H.33—Ratchet, 7.50

Truth Heavy Duty Sockets are hot broached. An undercut groove is placed in the square opening of each socket so that the balls in handles or parts will snap into that groove and give the user assurance that the socket will not fall off. They are beautifully designed and have no equal for strength and utility. The Heavy Duty Ratchet No. H. D. H. 33 has twenty-seven points which gives a good hold with a slight movement of the handle. No Truth Heavy Duty Ratchet has ever been broken.

# TRUTH HANDLE ADAPTORS

**HDH 27** 

Price

**HDH 28** 

H.D.H.26—Has two male ends  $\frac{5}{8}$ " sq. and  $\frac{3}{4}$ " sq......**\$0.85** H.D.H.27—Has  $\frac{3}{4}$ " sq. male end and  $\frac{5}{8}$ " sq. female end .90 H.D.H.28—Has  $\frac{5}{8}$ " sq. male end and  $\frac{3}{4}$ " sq. female end .90

10 Salesmen take little time-guarantee satisfaction.



TRUTH HEAVY DUTY SOCKET SETS



Set No. H.D. 1 consists of 16 Heavy Duty Sockets and 6 Heavy Duty Handle parts illustrated on opposite page. An ideal set for mechanics doing work on heavy trucks, industrial plants and Highway Road Departments. Complete set fits neatly into strong metal case  $20 \frac{1}{2}$  "x8" with depth of 3".

#### SET NO. H.D. 2

Contains Handle Parts:
No. H.D.H.29-8" Extension
No. H.D.H.30—16" Extension 1.50
No. H.D.H.31—Sliding Tee 2.75
No. H.D.H.25Collar Joint
Heavy Duty Sockets:
No. H.D.1, H.D.2, H.D.3, H.D.4, H.D.5, H.D.6,
H.D.8, H.D.9 6.05
Set H.D.2 Complete with all tools listed above 12.30
Set No. H.D.2 in Metal Case* 15.80
SET NO. H.D. 3
Contains Handle Parts:
No. H.D.H.29-8" Extension\$1.25
No. H.D.H.30—16" Extension 1.50
No. H.D.H.31—Sliding Tee 2.70
No. H.D.H.25—Collar Joint
Heavy Duty Sockets:
No. H.D.1, H.D.2, H.D.3, H.D.4, H.D.5, H.D.6,
H.D.7, H.D.8, H.D.9, H.D.10, H.D.11 9.55
Set No. H.D.3 complete with all tools listed above. 15.75
Set No. H.D.3 in Metal Case* 19.25
*(This metal case will accommodate all Truth Heavy
Duty Sockets listed on page 10 should you later desire
to add same.)

This catalog supersedes all previous issues. 11

## 610 **TRUTH "FLEXLITE" SCREW DRIVERS**

G

TRUTH TOO

MANKATO

COMPANY

MINNESOTA

#### NON-SHOCK!

Tough, Twist-Proof Blades: Handles of Shock-Proof Unbreakable Material. The Inevitable Choice of Every Mechanic Who Puts Quality First.

#### **IT PAYS TO USE GOOD SCREW DRIVERS**

Truth "Flexlite" Screw Drivers are a source of pride to every mechanic who owns one. Screw drivers may be purchased at any price, but for those who put quality first we offer the above. Blades are made from special gear steel, carefully tempered, leaving them tough, springy and twist-proof. You may pound the handles with the heaviest hammer still they will not break, and best of all, they are shock-proof and so guaranteed. Transparent amber col-ored handles combine real tool beauty with genuine use-fulness. Lengths are over-all. Drive

Price	Price
Bull Dog\$1.00	14"-14" Stock\$1.30
Lamp Socket	(Bendix)
7"- <u>3</u> " Stock70	14"- <u>5</u> " Stock 1.45
8"-14" Stock80	(Heavy Duty)
$9'' - \frac{3}{16}''$ Stock	SET OF 8 SIZES 7.55
10"-1/4" Stock 1.00	
SPECIAL	
18"—Heavy Duty	
6 1/2 "-1/4" Stock	
$16'' - \frac{5}{16}''$ Stock	· · · · · · · · · · · · · · · · · · ·
12 All prices subject to ch	hange without notice.





#### **TRUTH CHISEL AND PUNCH SET**

The price of \$5.85 for a complete set, in kits of six chisels and six punches is the best purchase ever offered for chisels and punches of Truth quality. They are forged by hand and tempered from edge to head throughout. The head will not batter up as do cheaper tools, yet they do not crack off to endanger hands or eyes. May be had in beautiful black finish with polished blades and taper as shown above or polished and cadmium plated over-all at a higher price. Sets may be purchased separately as can single sizes.



Truth Chisels are made down to an edge. They cut.

Chisel S	et, Unpolish	ned	\$3.00	Plated	\$3.50
No.	Stock Size	Length	Bit Width	Price as Shown	Price, Plated
1	1/4"	5 ″	<u>5</u> "	\$0.30	\$0.55
2	<u>5</u> ″	51/2"	3/8"	.35	.60
3	3/8"	6¼"	1/2"	.45	.70
4	1/2"	7 "	5/8"	.55	.80
5	5/8"	73/4"	3/4"	.65	.90
6	3/4"	81/4"	7/8"	.75	1.00

Punch !	Set, Unpolis	hed	\$3.25	Plated	\$3.50
No.	Stock Size	Length	Pt. Width	Price as Shown	Price, Plated
1	1/4"	61/8"	$\frac{3}{32}''$	\$0.35	\$0.45
2	<u>5</u> "	67/8"	1/8"	.40	.50
3	3/8"	75/8"	3."	.50	.60
4	1/2"	83/4"	$\frac{7}{32}''$	.60	.70
5	5/8"	91/2"	1/4"	.70	.80
6	3/4"	101/4"	1 <u>5</u> "	.80	.90

All prices quoted are net to the trade.

# TRUTH TOOL TRUTH COMPANY

#### TRUTH INTERCHANGEABLE PIN PUNCHES

A TRUTH DEA

The above Pin Punch Sets will save you money. Instead of having to buy a complete new Pin Punch when a bit breaks, all you need do is to purchase extra bits which are very low in price. The bits are made from special drill rod steel and are correctly tempered to give service. They lock tightly in each handle and the handles themselves will stand years of hard usage. Because of their very low price, the bits for the above tools are not guaranteed.

#### ASSEMBLING PUNCHES

A long, strong, pointed punch for lining up holes, etc. Polished taper.

Size			Size		
Stock	Length	Price	Stock	Length	Price
1/2 "	10"	\$1.00	5% "	14"	\$1.25
	TRA LENG	тн		TRA LENG	TH
	PUNCHES		CC	LD CHISEI	S
Sizes	Un	polished	Sizes	Un	polished
3⁄4 "x10"		\$0.90	3⁄4 "x10"		\$0.90
3/4 "x12"		1.25	34 "x12"		1.25
3⁄4 "x16"			3⁄4 "x16"		1.65
3/4 "x20"			3/4 "x20"		1.90
3/4 "x24"		. 2.25	3/4 "x24"		2.25
14	Our guara	ntee prote	ects your in	vestment.	



These simple well-made pullers give service because the natural hang of the jaws gives them a tighter grip the more you turn down the screw. Jaws are forged by hand from select tool steel and both block and screw are tempered. Complete set. Baby Gear Puller ..... 3.75 Large Gear Puller with 3 sets of jaws..... 12.00 Large Gear Puller with 2 sets of jaws..... 10.00 Large Gear Puller with 1 set of jaws..... 8.00 2.50 Jaws in pairs ..... 1.00 Baby Gear Puller Screw..... 1.50 Large Gear Puller Screw.....

#### HACK SAWS AND BLADES



Small saws such as the one shown above have become very popular for general garage work. First designed and originated by Truth—they are to be found in nearly every shop.

		ack Sawa er-all			ht, Edge	
Туре			Length			Price
Large Size		16″	10"		1 ″	\$1.25
Midget Siz	e	10″	6″		1/2 "	1.00
		Hack Sa	w Blad	es	-101:	
Quantity	Size	Price	Quan	tity	Size	Price
½ Doz.	10″	\$0.60	1 G	ross	10"	\$10.00
1 Doz.	10″	.85	½ D	oz.	6″	.50
1/2 Gross	10″	5.00	.1 D	oz.	6″	.90

A regular service at your service. 15



entire satisfaction when used with oil and the correct drill size used. The drill should be as large as stud will permit yet not so large that threads on the Sure-Out are in danger of locking into the thread in the block from which the broken stud is being removed.

No.	. Us	se Dr	ill	]	Price
1.	Size	5/32	"		\$0.50
2.	Size	3/16	"		.50
3.	Size	1/4 "			.50
4.	Size	11/3	2".	· ·	.50
Set	of f	our	in	kit	2.00

#### NU-TRIX THREAD RESTORER

Nu-Trix is made to overlap several threads. A few strokes and the battered thread is as good as new. Eight U.S.S. and S.A.E. thread sizes on each tool: 11, 12, 13, 14, 16, 18, 20 and 24 threads to the inch. This tool must be made unusually hard and is therefore

16 Truth Tools properly handle difficult jobs.



110.	<b>T</b> .	78	w neer	runer						• •			• •	0.10
No.	2.	3/4 "												.85
No.	3.	7/8 "	"											.95
No.	4.	1 "	"	" .										1.00
No.	5.	1 1/8 "	"	"										1.10
No.	. 6.	11/4 "	"	" S	.A.	E. (	12 t	hre	ads	s p	er	in.	.)	2.00
Spee	cial	13" W	Theel Pu	ller (	for	Ch	levr	olet	:).					1.00
Spee	cial	3/4 "x2	20 Threa	d (Te	erra	pla	ne	size	. (e					.90
Set	(fir	st five	e sizes)											4.65
	7	This ca	atalog su	iperse	des	all	pre	evio	us	iss	ue	s.		17

#### COMPANY TRUTH TOOL MANKATO OLO MINNESOTA

**TRUTH WHEEL HUB PULLERS** 

Tools pictured on these next two pages are drop forged from solid steel. No castings of any kind are used. With heavy pulling screws and with correct designs for proper fit, they will stand long hard usage. You will notice that each puller handles a large number of cars. This fact makes them the cheapest tools to use in the long run. These pullers are not manufactured by the Truth Tool Company but are recommended by us. They carry a 90-day guarantee against defective material and workmanship but the regu-lar Truth guarantee does not apply.



5 Studs on a 5" Bolt Circle.

5 Studs on a 51/2" Bolt Circle.

SERVICES THE F6 Buick 50, 1932-33. Chrysler 6, 1932-33. Chrysler Royale 8, 1933. Chrysler Light 8, 1934. Continental, ACE 1933. Durant 614, wire Canada, 1931 Dodge 6 and 8, 1931-32. DeSoto 6 and 8, 1931-32. DeSoto 6, 1933-34. DeVaux, wire 1931-32. Essex, 1931-32. Ford A and B, 1928-29-30-31-32-33-34. Ford A and B, 1928-29-30-31-32-33-34. Ford V-8, 1932-33-34. Graham 6 and 8, 1932-33-34. Hupp L and S, wire, 1931. Hupp Lite 8, wire, 1931. Hupp 6 cyl. B 1932. Hupp 321, 1933. Hupp J, 1934. Hudson 6 and 8, 1932-33. Hudson 1934. Hudson 1934. Marmon 70, wire, 1931. Nash 860-870-880, 1931. AT-55 Puller, price with screw

AT-55

SERVICES THE FOLLOWING MODELS: , 1932-33. Nash 960-970-980, 1931. 6. 1932-33. Nash 1060-1070-1080, 1932. Nash Big 6, 1933. Nash Big 6, 1933. Nash Std., Spec., Adv. 8, 1933. Nash 110, 1220, 1280, 1934. Olds 6 and 8, 1933-34. Plontiac 6 and V-8, 1932. Plymouth 1931-32. Reo 6, 1933-34. Rockne 6, 1932-33. Studebaker 6, Dic., Comm., 1932. Studebaker 6, Comm., Pres., 1933. Studebaker Comm. Dic., Pres., 1934. Willys 6, wire, 1930. Willys 8, wire, 1931. Willys 0verland 8, wire, 1932. Willys Knight 87, 95, wire, 1931. Willys Knight 6, wire, 1931. Willys Knight, Big 6, wire,

WRENCH NO. AT-118

1932.

.....



This wrench fits any of the Wheel Pullers shown, is drop forged and has a heavy striking surface. A ball and screw is placed in each one of the screw heads and a groove on the inside of

this wrench holds it in place. Price ... \$1.50 ........... Truth service can be had at nearest mail box. 18

#### SPECIAL GAR 3 000

MANKATU



#### NO. AT 45

4 Studs on a 4" Bolt Circle.

D

5 Studs on a 41/2" Bolt Circle.

#### Services the following models:

Continental 4, 1933. Continental Light 6, 1933. Continental Beacon, Flyer, 1934. Dodge 6, 1933-34. Dodge Comm. Pickup 1934. Essex Terraplane 6 and 8, 1932-33-34. International truck, 1/2 ton, 1933. AT 45 with screw ..... Plymouth 6, 1933-34. Plymouth Light 6, 1934. Willys, 97-D, wire, 1931. Willys Overland 6, wire, 1932. wire, 1932. Willys 690, wire, 1932. Willys 77, 1933. Willys 99, 1933. Willys, 1934.

.....\$7.00

AGE TOOLS

MINNESOTA

#### NO. AT 66

6 Studs on a 51/2" Bolt Circle.

6 Studs on a 6" Bolt Circle.

#### Services the following models.

 Services the following models.

 Hupp 8, 1932.
 Chrysler 8, 1934.

 Hupb 322, 326, 1933.
 Durant 612, 614, 1931.

 Hudson 6, 1931.
 Dodge 8, 1931.

 Nash 440, wire 1929.
 Graham 6 and 8, 1931.

 Olds 6, 1931.
 Graham 6 and 8, 1931.

 Auburn 8-98, 1931.
 Graham 6 and 8, 1932.

 Auburn 12-165 Disc. 1932.
 Packard DeLuxe 8, 1933.

 Auburn 12-165 Disc. 1933.
 Willys 98, wire, 1931.

 Chrysler 8 DeLuxe, 1932.
 Willys 97, wire, 1931.

 Chrysler Imp. 8, 1932.
 Willys Knight, 95, wire, 1931.


 At 66 with screw
 Millys Knight, 95, wire, 1931.

AT 66 with screw ......\$8.00

19 Reliable service yesterday, today, tomorrow.



TRUTH HEAVY DUTY DRIVE SHAFT AND AXLE PULLER



This heavy, well made tool is used to pull threaded cam shafts, drive shafts and axles, no matter how badly the spline is twisted. It has two adjustments as to length and the pulling block is slotted so that the jaws may be opened or closed. This puller should be on the tool board in every shop. Burrs are furnished to fit practically all axle sizes as well as drive shafts. Several other attachments are also made to be used with this puller as is shown on following pages.

Price. Complete with 8 size burrs, including the special 13" Chevrolet size as well as the 34"x20

7/8", 1", 11/8", 11/4", 3/4 "x20 thread.


Price. Burrs separately:

Note: Many other tools are designed to be used with the puller above. See the Chevrolet car and truck axle housing bearing puller, Chrysler Race pullers, etc.

20 Salesmen take little time-guarantee satisfaction.



**UNIVERSAL BUSHING REMOVER SETS** 




Here is a complete set of tools that should be in every shop, Collar No.  $13 - \frac{11}{16} x_{15}^{14}$  Bushings ..... .25 Collar No. 14-34 "x 7/8" Bushings ..... .25 The above collars all fit the %" mandrel. Note: Collar No.  $15 - \frac{13}{16} x \frac{15}{16}$ " Bushings ..... .35 Collar No. 16-7/8 "x1" Bushings ..... .35 Collar No. 17-<u>15</u>"x1-1/16" Bushings ..... .35 Collar No.  $18-1''x1'_8''$  Bushings ..... Collar No.  $19-1\frac{1}{16}''x1\frac{3}{16}''$  Bushings .... .35 .35 Collar No. 20-1 1% "x1 1/4 " Bushings ..... .35 The above collars all fit the %" mandrel. Note: Collar No. 21-31/64"x33/64" Bushings ..... .20 Collar No. 22-1/2"x17 Bushings ..... .20 Collar No.  $23 - \frac{17}{32}'' x \frac{9}{16}''$ Bushings ..... .20 Collar No.  $24 - \frac{9}{16} x \frac{16}{32}$  Bushings ..... Collar No.  $25 - \frac{16}{16} x \frac{19}{5}$  Bushings .... .20 .20 Collar No. 26-5% "x<sup>21</sup>" Bushings ..... .20 The above collars all fit the 1/2" mandrel. Note: Mandrel No. A-7%" Mandrel No. B-5%" .85 Mandrel No. C-1/2" .60 Complete set as shown with all collars and mandrels

This catalog supersedes all previous issues.

21



#### **DOOR HINGE PIN REMOVER**



#### **BRASS BRUSHING EXTRACTOR SET**



A pair of the best tools ever made for removing various sizes of brass and bronze bushing. Originated by Truth many years ago—they are now to be found in nearly every shop. Screw tightly into bushing and drive out.

Bushing Extractor Set.....\$3.25

No.	Capacity	Length	Price
BU-EX 1	½" to 116"	9″	\$1.25
BU-EX 2	#1" to 1 1/8"	12″	2.00

22 All prices subject to change without notice.








TRUTH BATTERY PLIER



One of the finest battery pliers ever made. No matter how corroded the nut the extra length leverage of this tool gives you a sure grip.

Price ...... \$1.50

#### SUPER-GRIP PLIER




24

Our guarantee protects your investment.



STEELDRAULIC BRAKE PLIERS



This little tool is so designed that it handles the adjusting nut through the inspection plate on all Midland Steeldraulic mechanical T-section brakes.

Price . . . . . .

#### PISTON PIN PLIERS

A handy tool for gripping small piston pins in fitting them. Price ...

.....\$1.50


#### FENDER BOLT HOLDER



Designed to take the place of a screw driver, to hold the bolts from turning while removing the burr. A very useful and practical tool for removing fender bolts; made from the highest grade tool steel and guaranteed to do the job. Price .... ....\$1.50

#### **OFFSET SCREW DRIVERS**

F	ТКИТН		
Stock Size	Length	Price, Unpolished	Price, Plated
5 "	6 1/4 "	\$0.60	\$0.70
3% "	6 1/4 "	.65	.75
16 3/8 " 1/2 "	7 3/4 "	.85	1.00
	A regular service	at vour service.	25



An excellent tool to hold brake pedal down while adjusting brakes, washing car, etc. Can be used to hold up oil pans while being tightened in place. Positive lock in any position. Price—Length, closed, 15"; length, open, 28"....\$2.50

## **BENDIX BRAKE TOOL**



## **RING GEAR RIVET SET PUNCHES**



These set punches are made in three sizes. Each is 7" in length, the  $\frac{5}{16}$ " size is of  $\frac{5}{4}$ " octagon tool steel and the two larger tools are made of  $\frac{3}{4}$ " octagon tool steel. Made sturdy to stand the abuse of a tough job.

	For <u>5</u> "	For 3%"	For 16"
	rivets	rivets	rivets
Prices.	\$0.75	\$0.85	\$0.85
Set of	three sizes		\$2.35

#### **BATTERY TERMINAL SPREADER**

192-7M

Drive tool down, straddle battery terminal bolt, then press to one side and the most obstinate terminal can be taken off.

Price-1/2" Stock, 7 3/4 " Long......\$0.75

#### PUMP PACKING PICK



#### UNIVERSAL RING GROOVE CLEANER

Arwinh Arwinh Jean Stranger St This new and novel Ring Groove Clean-

ting edges are easy to sharpen. Price .. ..... \$1.00

#### **D** & H RING COMPRESSOR

The D & H Ring Compressor may be used when inserting pistons either from top or bottom. Made in two Number 1 handles sizes. pistons from 21/2" to 41/2". No. 2 size fits pistons 4" to 7".


No. 1 D & H Ring Compressor .....\$1.65

No. 2 D & H Ring

Compressor ..... 2.65



#### MAGIC FINGERS



These tools firmly grasp small bolts, cap screws, nuts, washers, cotter pins, etc. They are handy for picking out small parts which may be dropped in transmissions or crank cases. The two buttons are made from transparent pyralin.

Size	Name	P	rice
12"	Magic Finge	r	
8"			.75
4 1/2 "			.75
	Truth sa	lesmen call to give service.	27



#### SUNNEN HEAVY DUTY VALVE LIFTER



- A—The Sunnen Heavy Duty Valve Lifter was designed primarily for late motors with every heavy springs and works better on small motors than the average small valve lifter. It works exceptionally well on Continental motors where block casting hides valve assembly and on motors requiring extra high lift.
- B-
  - 1. Twice as strong as the average lifter of this type. More leverage.
  - 2. Longer so handles will extend out beyond manifold.
  - 3. Jaws raise practically parallel. Will not wedge spring on valve stem. 4. Fully adjustable to work on all motors (including
  - Continental).
  - Very narrow and compact. Lots of room to remove 5. locks.
  - 6. Locks at any height—no ratchet to wear out or slip. 7. Extra height adjustment gives you an extra inch of
  - lift.
  - 8. Guaranteed for one year against breakage. Price ......\$2.25

#### SUNNEN SPLIT LOCK REPLACER

Can be easily load-Jaws open autoed.

matically when pushed valve stem open autoagainst and also



and also open auto-matically when the replacer is pulled out. Each of the locks is held separately and independently in each jaw and stays there until the valve retaining washer pushes the replacer down off the locks. NOTE: In case the locks cannot be nested properly on valve stem, the replacer can be withdrawn and locks will remain firmly in each jaw.

remain firmly in each jaw. Price ......\$1.50

#### SUNNEN SPLIT LOCK CATCHER


- 1. Will work on all valves on any motor regardless of space or obstructions be-cause it is flexible. 2. Can be inserted and re-
- moved very easily. Locks remain in catcher.
- 3. Made of grease-proof rub-ber with steel handle and bottom.

Price \$0.70 Price, SUNNEN LIFTER SET (3 tools listed above)....\$4.45

Truth service can be had at nearest mail box. 28

# SPECIAL GAR TRUTH AGE TOOLS

#### **TRUTH C-TYPE VALVE LIFTER**




Outstanding Features:

- 1. Handle automatically locks in its closed position in a one-hand operation.
- 12" deep in the throat—t h is tool will therefore work on new model cars and trucks with larger manifolds.
- 3. Hand forged one-piece lifter jaws. Will not bend—will not break.
- 4. Jaws are adjustable.



A tool that will take out and replace valve springs. Sharp jaws slip into spring coils to compress them. Lift spring up, remove locks and take out springs. To install springs reverse the above. Very fine to replace strong springs. Adjustable jaws. Price........\$1.95

#### STANDARD SUNNEN VALVE LIFTER




Locks positively at any height from 1 % " to 2 % " with 3-step adjustment for convenience in operating on different types of motors. Requires less room to operate. Powerful leverage. Jaws adjustable to any size

spring. Jaws raise practically parallel; will not wedge on valve stem. No ratchet to wear out or slip. Guaranteed against breakage for one year. Price......\$1.85 Reliable service yesterday, today, tomorrow. 29



#### THICKNESS GAUGE



This thickness gauge has ten blades, 344'' long, ranging in sizes as follows:  $1\frac{1}{2}$ , 2, 3, 4, 5, 6, 8, 10, 12 and 15 thousands. The thumb screw assures a rigid blade when adjusting tappets.

Price			\$0.95
Extra	Blades.	Each	.15

#### 9 INCH FEELER GAUGE Ideal for Pistons

#### SINGLE THICKNESS GAUGE HOLDERS


0----

Holder only

30 Salesmen take little time-guarantee satisfaction.



#### DISTRIBUTOR GAUGE



This gauge contains the most used sizes of distributor gauge stock as well as a small distributor point file. The thumbscrews will lock any blade or the file solidly. The gauge contains the following sizes of blades: 20, 22, 25, 28, 32, 12, 13, 14, 18 and 35.

#### THICKNESS GAUGE BLADES

#### THICKNESS GAUGE STOCK

18"	lengths	(Sizes	above)										• •		\$0.50
-----	---------	--------	--------	--	--	--	--	--	--	--	--	--	-----	--	--------

#### **DISTRIBUTOR GAUGE BLADES.**

.007, .009, .012, .013, .014, .015, .016, .017, .018, .020, .022, .025, .028, .032, .035.

This catalog supersedes all previous issues. 31

#### TRUTH TOO G On

#### MANKATO

#### 45° Angle and 90° Angle

Truth Obstructo Wrench-es are made in six sizes with same opening in each end. One head is set at 45° angle, the other at 90°. Unequaled for brake ad-justments and reaching around obstructions. Sold individually. or in kit of 6 wrenches. Every wrench guaranteed.

#### Cino

	<b>D</b> .			
No.	Ope	ning	Lgth.	Price
1821	3/8"	3/8"	51/2"	\$0.60
1823	10	10	51/2"	.60
1825	1/2"	1/2"	61/2"	.75
1827	9.	9.0	61%	.75
1829	5/8"	5/0"	716"	.85
1831	3/4"	3/4"	71/2"	.85
6 wr	enche	in in	leath	erette

wrenches in leatherette kit. Price..... \$4.35



#### TRUTH OBSTRUCTO WRENCH SET

MINNESOTA

D

COMPANY



The Truth Open End Wrench is drop forged from select chrome van-adium steel of special analysis. Heat treated entire length to give toughness and durability. Has pointed jaws, thin narrow heads, extra length and is finished in cadmium plate that is rust and acid resisting.

rust and average of the second In leatherette kit.

Price ..... \$4.25

Set "S" Truth Open End Wrenches consists of one wrench from each of groups 1, 2, 3, 4, 5 listed below.

5 wrenches in leatherette kit. Price..... \$4.25

NUMBER		For U. S. Std. Nuts Size Bolts	Extreme Length Approx.	Thickness of Head	Price
Group 1-172	3 3/8" & 7		5 *	3."	\$0.50
(17	25 16 & 1/2"	1/4"	61/2"	16 *	.75
117	$25A \dots \frac{1}{16} & \frac{1}{16} \\ 25B \dots \frac{1}{2} & \frac{1}{16} \\ \end{array}$	1/4"	61/2"	64 17.0	.75
	27 16 & 5/8" 27C	3/8"	714	15	.85
10	28 19" & 25"	16 & 16	814	64 19 64	1.00
17	$285 \dots 5/8" \& \frac{25}{32}"$	16	814	19 64 19	1.00 1.00
" 5-{17	31A <sup>3</sup> /4" & 7/8" 31B <sup>3</sup> /4" & 7/8"	12	93%	0234	1.20
** 6-103		72	1034	277	$1.20 \\ 1.50$

32

All prices subject to change without notice.

MANKATO

B

G

SPECIAL GAR

### TRUTH TAPPET WRENCHES

This wrench, drop forged from select chrome vanadium steel is, we believe, the toughest wrench made. Exceptionally thin with 15° angle of heads, makes it ideal to handle work for which designed. From many thousands of them sold we have been asked to make only a few replacements. Guaranteed to neither spread nor crack.



AGE TOOLS

MINNESOTA

Wrench Number	Two of Each In Set	Opening Size	Length	Price
1-2		$\frac{1}{16}$ x $\frac{17}{32}$	7° 8'	\$0.60
Т-3		5/8" X 11 3/" X 7/6"	8" 9"	.75
SET OF 8 WI	RENCHES (two of each	n size) in Kit.		5.75



### SUPERIOR BOX SOCKET WRENCHES


### Every Wrench Guaranteed

Very small box socket wrenches — all twelve opening on each end ideal for those close places where space is limited.



	Opening	Length	Price
SBS No. 1	36" x 1"	43/ "	\$0.60
SBS No. 2	1 x 1/2"	514"	.70
SBS No. 3	1/3" x 2"	584"	.80
SBS No. 4	9 × 5/0"	614	.90
SBS No. 5	5/6" x 3/1"	616"	1.00
SBS No. 6	11" x 3/	634"	1.25
SET OF 6 WRENCHES in Kit			4.25
All prices quoted			33






This new idea wrench, fully flexible on each end is an-other sample of Truth originality. A handful of these tools will do the same jobs, and more, than a kit full of others of varying sizes and shapes. Cut your special wrench bill this year with the above set.

Order No.	Size	Handle Length	Price
FLEXO-1 FLEXO-2 FLEXO-3 DOUBLE END FLEXIBLE SOCKI	1/2" x 16"	634	\$1.95
FLEXO-2	9 x 5/8	• 8 9½•	2.25
FLEXO-3	3/4 x 16	91/2	2.45
<b>DOUBLE END FLEXIBLE SOCKI</b>	ETS, in L	eatherette Kit	
(Set of 3). Price			. 6.75
FLEXO-S	12 X 16	71/2"	1.95

AABS CONNECTION ROD REAMING GUIDE



This Connection Rod Reaming Guide is necessary if con-

This is the only hand-reaming method on the market that will entirely eliminate chattering and out-of-line reaming.


One centering offset blade furnished with each Reaming Guide. If additional centering blades are required the charge will be 75 cents each. Price ..... 

34

Our guarantee protects your investment.



AABS PERFECT EXPANSION REAMERS



These Reamers give maximum accuracy and a smooth fit. The threaded pilot guides and pulls the reamers through pistons evenly. The Nos. 3, 4 and 5 reamers will handle all present-day pas-senger car requirements. A handy reamer chart is in the back of this catalog.

Piston	Pin	Lengt	hs
--------	-----	-------	----

No.	Size In.	Expand to	No. of Blades	Price
1	39 ( .609)	43 ( .671)	8	\$ 8.90
2	$\frac{43}{64}$ (.671)	47 ( .734)	8	11.00
2 3	$\frac{47}{64}$ (.734)	$\frac{13}{16}$ (.812)	8	11.50
4	$\frac{13}{16}$ (.812)	$\frac{15}{16}$ (	10	13.10
5	15 ( .937)	$1\frac{1}{16}$ (1.062)	10	15.25
6	$1\frac{1}{16}$ (1.062)	$1\frac{7}{32}$ (1.218)	12	17.50
7	$1\frac{7}{32}$ (1.218)	1 % (1.375)	14	19.50
8	1 3/8 (1.375)	$1\frac{19}{32}$ (1.593)	10	27.00
9	(1.575)	(1.800)	10	39.50
10	(1.800)	(2.025)	12	49.50
	411 4 - L D		A	

All Aabs Reamers will cut .010 oversize.

### AABS SPECIAL SPINDLE BUSHING REAMERS


These reamers are the same as the above but are made in special lengths, two and one-half inches longer than the standard size.

		Expand	No. of	
No.	Size In.	to	Blades	Price
0	490/1000 ( .490)	540/1000 ( .540)	6	\$12.50
00	530/1000 ( .530)	580/1000 ( .580)	6	12.50
000	570/1000 ( .570)	620/1000 ( .620)	6	12.50
1	$\frac{39}{64}$ ( .609)	$\frac{43}{64}$ (.671)	8	10.50
2	$\frac{43}{64}$ ( .671)	$\frac{47}{64}$ ( .734)	8	12.50
3	$\frac{47}{64}$ ( .734)	$\frac{13}{16}$ (.812)	8	12.75
4	$\frac{13}{16}$ (.812)	$\frac{15}{16}(.937)$	10	14.75
5	$\frac{15}{16}$ ( .937)	$1\frac{1}{16}$ (1.062)	10	17.00
6	$1\frac{1}{16}$ (1.062)	$1\frac{7}{32}$ (1.218)	12	19.25
	A regular set	vice at your servi	ice.	35

A regular service at your service.



### SPECIAL BUICK TOOLS



Buick Timing Buick Pump Shaft Buick Crank Shaft Gear Puller Gear Puller Gear Puller


The above tools are designed to pull all timing gears, pump shaft gears and crank shaft gears on Buick 8's.

Practically indestructible, fully guaranteed, and any one is well worth its cost on one really frozen gear.

This set of special Buick Pullers removes all uncertainty as to amount of time required to remove any one or all three gears illustrated. They cannot possibly injure any gear.



### BUICK GEAR PULLER AND PUSHER SET COMPLETE



Buick Timing Buick Pump Shaft Buick Crank Buick Pump Gear Puller Gear Puller Shaft Gear Shaft and Buick Shaft and Timing Gear Crank Shaft Gear Pusher

Pusher Puller These Special Buick Pullers and Pushers vividly illustrated here require little explanation. They properly handle the work with no injury to parts in least possible time, meaning more profit and complete satisfaction. BUICK TIMING GEAR PULLER Handles timing gear (or cam gear) on all Buick %s.

 Handles timing gear (or cam gear) on an Jones 55
 \$3.95

 Price.
 BUICK PUMP SHAFT GEAR PULLER
 \$3.95

 Is complete with two sets of jaws and retaining sleeves (illustration above shows only one set).
 These jaws completely surround the gear and the retaining sleeve makes it impossible for jaws to disengage while pulling.
 Set and Set

	В	UICK	PUME	' SH	AFT AN	DI	IMINU	GEAR PUSHER	
This	tool	handles	both	jobs	indicated	by	its name	e. Works on all models.	
Daloo									21 05

						AR PULLER	
Is	used	with	cap screws	which scre	w into place	s tapped into ge	ar.
Price.				11-11-11-			\$2.95
			SET BUIC	K GEAR	PULLERS	AND PUSHER	S

(5 tools complete—in fiber box) ..... \$17.85

This catalog supersedes all previous issues. 37



### BUICK UNIVERSAL JOINT PULLER AND PUSHER



Puller

Pusher



These tools handle universal joints on all model Buicks doing the job quickly and properly. Complete instructions regarding operation shipped with each set.

NEEDED WHEN Putting in new transmission end plates. Putting in new transmission rear bearing. Putting in new universal joint. Putting in new transmission main shaft. Putting in speedometer drive worm.

Buick Universal Joint Puller and Pusher Set.....\$5.00

### BUICK 6 TIMING GEAR PULLER ATTACHMENT

Handles '29 and older models.



This attachment is to be clamped on hub of cam gear and used with any two jaw gear puller.

..... \$2.25

### **BUICK 6 TIMING GEAR PUSHER**

Price .....

Handles '29 and older models.

The inner end of forcing screw on tool has female thread. Place this on threaded end of cam shaft. Barrel of tool will force cam gear on shaft as forcing nut is tightened.




To avoid noise of timing gears they should be forced on tight. Avoiding the complaint of one customer is worth cost of this item.

Price ...... \$2.75

38 Truth service can be had at nearest mail box.



HUDSON AND ESSEX MAIN BEARING PULLER



Also handles Continental, Packard or La Salle main bearings. Price \$3.45



### HUDSON AND ESSEX STUD BOLT SETTERS

This small attachment fits all %" main bearing studs. Lock it on stud and use wrench to tighten stud bolts as desired. Loosen bottom screw and remove.

Price, (3% " size) ......\$0.75

### WHEEL HUB PULLERS FOR HUDSON, ESSEX AND TERRAPLANE

We highly recommend the use of the new type AT Wheel Hub Pullers which will be found on pages 18 and 19 of this catalog. AT-55 handles Essex 1931-32 and Hudson 6 and 8, 1932-34 inclusive. AT-45 handles all Terraplanes 6 and 8, 1932-34 inclusive.

Reliable service yesterday, today, tomorrow. 39

# TRUTH TOOL TRUTH COMPANY


### TRUTH TOOLS FOR CHEVROLETS

The next six pages illustrate some exceptionally fine tools for Chevrolet Shops. Our guarantee assures you that you will receive satisfaction in every way.



### CHEVROLET 'OIL PAN SPEEDER ATTACHMENT

### SPECIAL GAUGE FOR CHEVROLET MECHANICS



### **CHEVROLET SPARK PLUG SOCKET**


### SPECIAL CHEVROLET WHEEL HUB PULLER

We highly recommend Wheel Hub Puller No. AT-66 shown on page 19 of this catalog. This Wheel Puller handles all Chevrolet hubs from 1929 up to and including 1934 models. It also handles many other popular cars as you will notice on the list.

40 Salesmen take little time-guarantee satisfaction.



### CHEVROLET FAN PULLEY PULLER AND CHRYSLER IMPULSE NEUTRALIZER PULLER



The name of this tool sufficiently describes the jobs it handles. The extra length screw is tempered as is the block and the two cap screws. The cap screws are held in place with lock nuts. The above tool can be used to pull Buick Crank Shaft Gears and many other gears which are equipped with cap screw holes.

Price ......\$3.95

### CHEVROLET CAR AND TRUCK AXLE HOUSING BEARING PULLER

This tool is designed to fit either our old model Drive Shaft and Axle Puller which many Chevrolet shops now have or the new model Heavy Duty Drive Shaft and Axle Puller which is shown on page 20. The screw and spreading block, which is pictured between the jaws of the puller, are first inserted into the axle hole. The block and jaws are then slipped down over the screw. After the jaws are through the bearing they can be spread in place by pulling the screw back so that the spreader block comes between the jaws. When pulling car bearings the block is pulled between the jaws the narrow way. When pulling truck bearings the block is pulled between the jaws whether they are broken or not. After the tool is in place attach the Drive Shaft and Axle Puller and pull out bearings. Tool complete as shown in picture



This catalog supersedes all previous issues.



### CHEVROLET SIX STARTER AND UNIVERSAL JOINT WRENCH

1/2 "x 5%"

This wrench has the correct angle for removing starters and handling universal joint jobs.

Price ..... \$1.50

### CHEVROLET SIX STARTER AND MANIFOLD WRENCH

5% "X 9 "



Ideal for removing starter and also handles manifold nuts, water connection nuts and manifold exhaust nuts.

### CHEVROLET AXLE STUB REMOVER

The Truth Tool Company solved another difficult and tedious job for Chevrolet mechanics when this tool was placed upon the market. To operate, remove axle opposite the broken stub, insert tool and drive broken piece from the differential gear by hammering on the end of tool. This tool may be purchased for car alone or for car and truck both as shown.

Complete as shown......\$5.00 Handle and Car Size Fork..... 3.50 Extra Forks, each...... 1.75

42 All prices subject to change without notice.



### **CHEVROLET UNIVERSAL JOINT** WRENCH

1/2 "X 9"

This small double end offset wrench is the one handiest size wrench made. Because of its shape it is a favorite everywhere. Also handles Studebaker and Plymouth manifold nuts, etc.


Price ... .....\$1.00

### **HEAVY DUTY SOCKETS FOR CHEVROLET AXLE NUTS**

These Heavy Duty Sockets are pictured on page 10 of this catalog. The  $1\frac{1}{16}$  size for 1934 Chevrolet car is one of our "Strait-Wal" Sockets as shown on page 4. This size has a  $\frac{1}{2}$  " square handle opening. The 2" Socket and 13" Socket have 34" square handle openings.

2" f	or 1	934 (	Chevrolet	truck.	 	 	• •			. \$2	2.95
11."	for	1934	Chevrolet Chevrole	t car.		 					.70

CHEVROLET FLEX MAIN BEARING WRENCH



Opening sizes, %''x%''This is the handlest main bearing wrench made. The sockets are fully flexible on each end and this wrench can be used on bumper bracket bolts, head bolts and many other places on various cars. Price .

### \$2.75 **CHEVROLET 6 SPINDLE BUSHING** PULLER AND REPLACER




This tool not only removes the bushing but replaces the new one without burring. 

All prices quoted are net to the trade.

43



CHEVROLET STUB PINION SHAFT REMOVER AND REPLACER




The above picture shows the Chevrolet Stub Pinion Shaft Remover and Replacer pushing the stub pinion into connection sleeve. In order to remove the stub shaft from the sleeve, the position of block D is reversed and the power nuts and roller bearings are placed inside the block. To properly operate the tool, block A is placed in approximately the correct position and the split gripping collets C are placed in position on the drive shaft so that they are partially inserted in the hole in block A. The collets C are made on a taper. By turning down nuts behind block B, the collets are pushed into block A in such a fashion that they solidly grip the drive shaft. In order to handle truck drive shafts, extra split collets are needed as well as one extra block similar to block D but with a larger milled opening.

- 44
- Our guarantee protects your investment.

AGE TOOLS MANKATO O OF MINNESOTA

CHEVROLET STUB PINION SHAFT **REMOVER AND REPLACER ON** 1934 CAR

SPECIAL GAR



The cut above shows the Truth Tool for removing stub pinion shaft on the 1934 Chevrolet car. The complete tool for removing the stub shaft is shown in operation and consists of blocks F and E with the two pulling screws. In order to push the stub shaft back into the drive shaft, block B and the two long screws and roller bearings must be used. This block, the two screws, etc., are also used with the tool shown on page 44: therefore, if that tool is purchased, you need only purchase the 1934 Chevrolet Stub Pinion Shaft Remover and Replacer which is shown in operation above. 1934 Chevrolet Stub Pinion Shaft Remover and Replacer, with blocks F and E and two pulling screws ...... \$8.50 Complete tool for 1934 Chevrolet car consisting of


all parts shown in above picture ..... 16.50 Complete Set, including all parts pictured on pages 44 and 45 ..... 30.00 45

A regular service at your service.



### CHEVROLET FRONT AXLE GREASE RETAINER, REMOVER AND DRIVER

This tool is very similar to the one shown on page 47, but is smaller. It removes and drives on the front axle grease retainer cups found on the 1934 Chevrolet car.



### CHEVROLET CARTER CARBURETOR WRENCH

Handles Carter Carburetor jets very nicely. Opposite end is  $\frac{5}{16}$ " in size, 12-point. A very popular tool.

Price .....\$0.85

### CHEVROLET 6 PUMP NUT AND LAMP BRACKET NUT WRENCH



### **OTHER CHEVROLET TOOLS**


46 Truth Tools properly handle difficult jobs.



### WHEEL HUB PULLERS FOR CHRYSLER, DODGE, DE SOTO, ETC.

We recommend Wheel Pullers of a type shown on pages 18 and 19 of this catalog. Kindly notice the cars that they fit. Due to the fact that these pullers are drop forged and not cast, they will give longer and more reliable service.

### CHRYSLER GREASE RETAINER CUP REMOVER AND DRIVER






### PLYMOUTH TIMING GEAR ATTACHMENT

Clamp this attachment in place and use any two-jawed puller to remove Plymouth timing gears.

### **SUNNEN L-11 PLYMOUTH VALVE LIFTER**

Price .....



This tool will lift Plymouth springs without removing the manifold. Plymouth shops should not only have this lifter but should have the Sunnen Rubber Split Lock Catcher as well as the Sunnen Split Lock Inserter shown on page

.....\$2.00


			-	and the second
Price				
Sunnen Rubber Split Lock	Catcher, pric	e		.70
Sunnen Split Lock Inserte	r, price			1.50
Complete set, price				3.45
Truth salesmen	call to give	service.	14	47

## TRUTH TOOL TRUTH COMPANY



### TAPERED BEARING CUP REMOVERS

### TAPERED BEARING SPLITTER



This tool splits bearings apart on all cars in the Chrysler family as well as a very large number of trucks. These bearings are costly and this tool will assist you to remove them without damage. The splitter is now being made from exceptionally fine tool steel and is heat treated throughout so that the splitting edges will not mash. **\$9.00** 



### **TRUTH TOOLS FOR FORDS**


Since early in the Model T days Truth has been building Ford service tools which have been accepted by thousands of Ford mechanics as the best on the market. Their use will save hours of time and make repair work more profitable.

### VALVE GUIDE REMOVERS

Both of these tools are correctly designed and they will handle all Model A, B and V-8 motors up to and including 1933. In many cases valve guides are difficult to remove. You can rely on these tools to do the job without any damage to valves, etc. The tool to the left is for Model A and B motors and the tool to the right is for the V-8.

### **V-8 VALVE GRINDER GUIDE**






### VACUUM VALVE GRINDER ATTACHMENT

This attachment will fit any automatic or hand valve grinder with 7/16" shank or under.

Price .....\$0.65

Reliable service yesterday, today, tomorrow. 49



### V8 CARBURETOR JET WRENCH

This Carburetor Jet Wrench is very widely used on all the earlier models of V8 cars. The pins in each end fit both jets and easily remove and replace them.

Style V8 '32 (left) ..... \$1.00

### 1934 V8 CARBURETOR JET WRENCH

This tool handles the carburetor jet on the latest model Ford carburetor. The jet cannot be removed without a tool of this type and should be in every Ford mechanics' tool kit. Style V8 '34...



....\$0.50

### 

### LONG JUNIOR SOCKET FOR V8 CARBURETORS



### IMPORTANT SPECIAL TOOLS FOR FORD MOTORS (Not Pictured) 9/16" 12 POINT CONNECTING ROD SOCKET

1/2" Handle Opening

### 9/16" 8 POINT MAIN BEARING BOLT SOCKET

1/2" Handle Opening

This socket is similar to other Truth "Strait-Wal" Sockets. It is made from chrome molybdenum steel and has the "Lock-Tite" feature.

### **1934 V8 VALVE LIFTER BAR**

This tool slips through the coils of the new 1934 valve spring just above the lower flange on the valve guide. Press spring down to remove lock washers. The tool can also be used to lift valve springs on other V8 cars as well as the 1934 model.

Price ......\$1.50

### **V8 GENERATOR SPANNER WRENCH**

This Spanner Wrench is used to raise and lower the generator when making adjustments on the fan belt. It works on V8 cars prior to 1933.

Price .....


.....\$0.65

### MODEL A REAR SPRING HANGER BUSHING DRIVER



This catalog supersedes all previous issues. 51






### MODEL A AND V8 KING PIN PUSHER

This tool pushes out king pins on Models A, AA, B, BB and V8 Ford cars.

### V8 SHACKLE AND PERCH BUSHING REMOVER AND REPLACER







### TRUTH PINION SHAFT REMOVER AND REPLACER FOR ALL V-8 AND MODEL B CARS

The above picture shows this time and trouble saving tool in action. The picture shows the tool in use on the 1934 V-8 car. Extra jaws may be purchased which will enable the tool to be used on all Model B Ford cars with tubular drive shafts. To remove and replace, turn nuts either counter-clockwise or clockwise. This tool is sturdily made and guaranteed to do the job easily.

Price, V-8 Model only\$	7.75
Price, complete for Models A and B	9.75
Model B Jaws, if bought separately	2.00

All prices quoted are net to the trade. 53



SHOCK ABSORBER FILLER PLUG WRENCH SET FOR ALL A. AA, B, BB AND V-8 FORDS



The above set consists of three small Junior Sockets which have %" square handle openings. As noted, they have "Lock-Tite" holes. With use of the small Offset Handle all Filler Plugs can be gotten at easily by Ford mechanics.

V-8 Filler Plu	g Handl	е.	 	 	 	 	 \$1.40
7/16" 12-Point	Socket		 	 	 	 	 40
7/16" 8-Point	Socket		 	 	 	 	 40
5/16" 8-Point	Socket		 	 	 	 	 
Set, price			 	 	 	 	 2.45



### V-8 SHOCK ABSORBER **ADJUSTER**

This small tool handles all adjust-ment screws on A, B and V-8 shock absorbers.

Price ..... .....\$0.50

### FORD MAIN BEARING AND HEAD BOLT WRENCH



Truth Flexible Main Bearing Wrenches are the handiest Main Bearing Wrenches made because they can be set at any angle. This special Flex Wrench for V-8 is 15" long, has a 11/16" Flex Socket for head bolt nuts and a %" Flex Socket for main bearing nuts. Price ... 13/16"x %". Special ..... .... 3.00 54 Our guarantee protects your investment.



### A AND B FAN PULLEY SOCKET



This special socket handles all Models A and B cars and will also fit those V-8 models which have a deep cast-iron fan pulley. Place socket on fan pulley nut, insert crank through the crank bracket and into the slots cut in socket.

Price ..... \$1.25

### V-8 FAN PULLEY WRENCH



This tool fits the fan pulley nuts on all V-8 Ford models with the shallow pressed steel fan pulley. Place wrench in position on fan pul-

ley nuts so that the handle stands above the lower radiator hose connection. Step on starter which will cause wrench to strike member and bring fan pulley nut loose.

Price ...... \$1.50

### FORD HUB BOLT SET PUNCHES



This tool represents a departure from the conventional type of hub bolt set punch and does the job more **neatly and in less time.** A great timesaver and a tool that stands the gaff.

Car Size Punch\$	
Truck Size Punch	1.00
A regular service at your service.	55




### FORD BRAKE DRUM PULLER

Fits all cars and trucks since Model T

We recommend Wheel Hub Puller No. AT-55 and the wrench No. AT-118, both shown on page 18 of this catalog. These pullers are drop forged and are correctly made to give service.

### TRUTH SPRING SPREADERS FOR MODEL A FORDS



### **V-8 REAR SPRING SPREADER**

We recommend the above tool for Ford V-8 cars. Price\$6.00
Complete Set, all tools shown in the above three cuts
56 Truth Tools properly handle difficult jobs.



### V-8 STEERING SECTOR ECCENTRIC SCREW ADJUSTER




This tool is used on all model Ford cars. This adjustment rivet will be found on the lower outside of the steering sector and is very hard to reach.

### Price ...... \$1.00

### FORD OIL PAN SPEEDER

This is a long speeder with a ½" very thin socket, which, as every mechanic knows, is needed for Model A oil pans.



This is also an exceptionally fine tool for Chrysler oil pans.

### V-8 LAMP BRACKET WRENCH


### **MODEL A AND AA BRAKE WRENCH**



Truth salesmen call to give service. 57



SUNNEN COMBINED VALVE LIFTER AND COMPRESSOR FOR MODEL A




Price ......\$0.95

### **OTHER TOOLS FOR MODEL A FORDS**

MA Radius Rod Bolt Holder\$1.4	5
MA Spindle Bushing Puller and Replacer 1.7	5
MA Brake Spring Hook	5
MA Rear Main Bearing Wrench 1.5	5
Zerk Driver and Replacer 1.6	5
Truth Brake Drum Puller Set (complete)19.5	0
13B Car Attachment, 1929 3.0	0
13D Truck Attachment, 1929 3.6	0
13A Car Attachment, 1930 2.7	5
13C Truck Attachment, 1930 3.2	5

58 Truth service can be had at nearest mail box.





### **V8 MAIN BEABING** BOLT HOLDER

This tool is designed to hold the main bearing bolts from above, thereby doing away with the necessity of having another man hold them while tightening them. The sockets are 8-point, size <u>9</u>".

Price . 

### **V8 STEERING ARM BUSHING REMOVER**

An extra collar to fit the large mandrel of the Truth Universal Bushing Remover set is made by this company. Kindly notice the Universal Bushing Remover Set on page 21 of this catalog.

Price,	Bush	ing Colla	r only.	• •	• •	•	• •	• •	•	•	•	• •	 •	•	•	 \$0.2	5
Price,	with	Mandrel	A													 1.2	5

### IF YOU DO NOT SEE WHAT YOU WANT-WRITE!

New tools are constantly being designed in our plant for difficult jobs on all popular cars. If you do not see the tool that you want in this catalog, we will appreciate your writing our company and we suggest that you refer your problems to the Truth Tool salesman in your territory. We know you will find many interesting items in the line that he carries and should you give him suggestions for new tools, they will be passed on to this company.

Reliable service yesterday, today, tomorrow.



### HANDY LIST OF C. O. D. FEES AND RETURN MONEY ORDER FEES

Government C. O. D. fees also include insurance on your shipment of tools. Return money order fees are charged to the addressee and cannot be prepaid from this office.

		C. O. D. FEES	<b>RETURN MONEY ORDER</b>
			FEES
Up	to	\$ 5.00 <b>\$0.12</b>	From \$ .01 to \$ 2.50 <b>\$ .06</b>
Up	to	25.00	2.51 to 5.0008
Up	to	50.00 <b>.22</b>	5.01 to 10.0011 10.01 to 20.0013
Up	to	100.00	20.01 to 40.0015
Up	to	<b>150.00</b> .40	40.01 to 60.0018 60.01 to 80.0020
Up	to	200.00	80.01 to 100.0022

### SIMPLIFIED WRENCH STAMPINGS

To avoid unnecessary confusion all Truth Wrenches are stamped with only the milled opening sizes. The following table has been prepared of standard bolt, nut and cap screw sizes served by each opening size:

Open- ings as stamped	For U. S.	For U. S.	S.A.E. Std. For S.A.E. Std. Nuts and Cap Screws; Size Bolt	For Amer.	CAN STD. For Amer. Std. Hex. Head Cap Screws; Dia. Screw
5/16	1/8	1/8	Size Doit	Doit	Dia. Stiew
3/8 13/32		18			
7/16	38	14	14	1/4	14
1/2	1/4	4	14	/4	4
1/2 9/16 19/32		1/4 16 3/8	1/4 18 3/8	• 16	1/4 16 3/8
19/32	16			2/	
5/8 11/16	3/8	16	16	3/8	78
3/4	/8	1/2	1/2	78	1/2
25/32	7				
13/16	1/	16 5/8		1/2 16 5/8	18 5/8
7/8 15/16	1/2	%	16 5/8	16	9/8
31/32	916			10	
1		3/4	118 3/4		3/4
1 - 1/16 1 - 1/8	5/8	7/	3/4	3/4	7/8
1- 1/4	3/4	1 7/8	7/8	74	1/8
1- 5/16	/*		/0	7/8	1
1- 3/8		11/8	1.1.1		
1 - 7/16 1 - 1/2	7⁄8	11/	1	1	11/8
1- 5/8	1	$1\frac{1}{4}$ $1\frac{3}{8}$	11/8		178
1-11/16		-/8		11/8	11/4
1-13/16	11/8		11/4	11/	
1- 7/8	11/4		13/8	1¼	

60 Salesmen take little time-guarantee satisfaction.

SPECIAL GAR TRUTH AGE TOOLS MANKATO MINNESOTA AAB'S REAMER DATA

Use this chart in ordering reamers. Extra length reamers on page 35 handle king pin fitting work while the shorter reamers are for wrist pin fitting. We recommend the longer reamers because in many cases they can be used to fit king pins and wrist pins on the same car model which saves the cost of one extra reamer. KING PIN SIZES WRIST PIN SIZES

KING PIN	SIZES		WRIST PIN	SIZES	
Car	Size	Aabs Reamer No.	Car	Size	Aabs Reamer No.
Auburn 1928-30—Models 115, 120, 125 1928-33—All others.	.937 .750	5 3	All Models	.875	4
Buick 1924-33—Standard 6, 115, 40, Anni- versary 116, 8-60, 32-60, 33-60, 32-50, 33-50 1924-33—50, 50L, 514, 54, 54, 54, 54, 55, 55, 55, 55, 55, 5	.875	4	1927-28—120, 128. 1930—Series 40 1929—Anniversary 116 1931-33—8-80, 8-90, 33-50, 33-80, 32-90,	.875 .875 .875	4 4 4
51, 51A, 54, 54C, 55, 120, 128, 8-80, 8-90, 32-80, 32-90, 33-80, 33-90, An- niversary 121-129, Master 6, 50 to 60. 1931—Model 850	1.000 .861	5 4	32-50 1930-31—8-50 1929—121, 129 1930-32—8-60, 32-60 1933—Model 60	.875 .749 .937 .937 .812 .812	4 3 5 5 3 or 4 3 or 4
Cadillac 1926-29—341, 341A, 341B 1930-33—All	.937 .874	5 4	1928-33—All ex- cept 452 & 370 1930-31—452 & 370	.875 .750	43
Chevrolet All 6 Cylinders All 6 Cylinder trucks	.734 .921	3 4	All cars and trucks, 6 Cylinder	.990	5
Chrysler 1926-33—All 80 & Imperials 1926-33—50, 52, 66, CU, CI, CM, CD, 1929-33—65, 70, 75, 77, CD, CP, CT, CQ, CH, CL	.999	5 3 4	1924-28—B, 60, 62, 58, 50 1926-30—70, 65, 66 1930—(Late) 8 Cylinder 1930-32—CH, CL, CM, Late 70	.750 .812 .734	3 or 4 3
	.074		Custom, CP, 77, Custom, CP, 77, CI, CD, CL, Im- perial CH 1928-29-72, 75 1926-30-Imperial 80, 80L	.860 .874 1.000	4 4 5
De Soto All Models	.750	3	1928-30—6 Cylin- der 1930—Late 6 Cyl- inder 1930-31—8 Cylin- der 1931-33—All	.750 .812 .735 .859	3 3 or 4 3 4

This catalog supersedes all previous issues.

61

# TRUTH TOOL TRUTH COMPANY

### KING PIN SIZES

WRIST PIN SIZES

Car	Size	Aabs Reamer No.	Car	Size	Aabs Reamer No.
Dodge 1927-32—DD, DC, DH, DL, DG, Victory 6, 140, 141, DA 1925-33—All others.	.750 .874	3 4	1927-32—Senior 6, 130, Victory 6, DA, DK, Stand- ard 6, DH, DL. 1919-30—All 4 Cyl- inders, 124, 128, 129, DD	.859	4 3 or 4
Essex			<u>1930-31—DC, DG.</u>	.734	3
1929-33	.803	3	1924-33—All	.750	3
Ford 1928-34—All cars & 1928-29 trucks 1930-33—Truck	.812 1.003	3 or 4 5	1928-34—All 4 Cyl. cars and trucks 1932-34—All 8 Cyl- inder cars and trucks	1.000 .750	5
Graham and Graham-Paige 1930-33-45, 65, 58, 64, 820, 57, 57A 1930-31-Special 8, Custom 8, 822, 834 1930-31-46, 53, 54, 56	.803 .873 .811	3 4 3 or 4	1930-33—All ex- cept Custom 8 (early 1930) 1930—Early Cus- tom 8	.813 .859	3 or 4 4
Hudson 1927-33—All	.803	3	1927-33—All eights 1927-33—All sizes	.750 1.094	35
Hupmobile 1925-29-A6, Cen- tury 6 & 8, M, (120 in W. B.) A6, M3 to car 13500 1926-28-E3-8, Cen- tury 8, 123E, (125 in W. B.), 1929-M3 after car 13500 1930-31-C, H, U, S Cylinder	.875	4 3 or 4 3 or 4 3 or 4	1926-27—E2, E3, E4 1930-31—L, Cen- tury 8 1932-222 1928-32—All others 1930-31—H U 1928-30—Century 6, A6, S	.750 .750 .750 .874 .941 .985	3 3 4 5 5
LaSalle 1926-29—303, 328 1930-32—340, 345 345B	1.000	5 4	Before 1927 All After 1927 All	.875 .750	4 3
Lincoln 1920-27—All 1927-32—All	.812 .983	3 or 4 4	1920-32—All	.875	4
Marquette All	.861	4	All	.812	3 or 4
Marmon 1928-31—All except 79 & Big 8-88 1930—Big 8-88 & 79	.803	34	1928-29-78 1929-31-68, 69, 70 1930-33-8-88 & 79		3 3 4

All prices subject to change without notice.

# SPECIAL GAR TRUTH AGE TOOLS

### **KING PIN SIZES**

### WRIST PIN SIZES

Car	Size	Aabs Reamer No.	Car	Size	Aabs Reamer No.
Nash 1929-32—Special 6, Series 431 to Serial B-15019, Adv. 6, Adv. 6,			1929—Standard 6 Series 420 1930-32—Single 6,	.812	3 or 4
B-15019, Adv. 6, 460, 490, Twin ign. 8, Twinign. 6, Series 480, 890, 990.	.984	5	1930-32—Single 6, Series 450, 660, 960, 10-60, 8-80, 9-80, 10-70, 10-80 1929-32—Series	.812	3 or 4
990. 1930-32—450, 870, 880, 980.	.858	4	1929-32—Series 431, 490, 480, 890, 990, 1099	.875	4
<b>1929-33—420,</b> 660, 960, 970	.860	4	1931-32—870, 970. 1929—Series 460.	.749 .937	35
Oldsmobile 1926-33—All	.948	5	1926-33—All	.855	4
Packard			1925-33—All	.875	4
Plymouth 1928-33—All	.750	3	1928-33—All	.750	3
Pontiac 1928-33—All	.734	3	1926-33—All	1.062	5 or 6
<b>Reo</b> 1927-33—All	.804	3	1927-32—Wolver- ine & B, Mate B2, Flying Cloud		
			29-30, BB, 8-21, 8-25 1927-33—All others	.860 .983	45
Studebaker & Rockne					
1928—Dictator 1928-33—All Presi- dents, all funeral cars and ambul-		4	1928-33—All Presi- dents 1928-33—All ex- cept Presidents	.936 .875	4 or 5
ances 1928—Commander 6 1929-33 — Com- mander 6 and 8,	.999 .999	5 5	cept i residents	.815	-
70, 53, 54, 55, 61, 62	.810	3			1
Whippet 1926-30—All	.750	3	1926-28—93A, 96 to March, 1928 1928-30—All	.735 .797	33
Willys & Willys- Knight					
1930-31—8-80, 70B, 66D, 8-80D, 8-88A 1930-32—98B, 97, 98D, 95, 6-90A,	.812	3 or 4	1930-31—98B, 97, 98D, 8-80, 8-80D 70A, 56, 70B, 87. 1932—Silver Streak	.797	35
Silver Streak 1929-30-66B	.750 .874	3 4	1928-32—66A, 66B, 66D	.875	4

All prices subject to change without notice. 63

### INDEX

	Page
Axle Thread Retracer	17
Battery Terminal Spreader	26
Bearing Cup Remover	48
Bearing Splitter	
Bendix Brake Tool	26
Box Socket Wrenches	33
Brake Pedal Depressor	26
Buick Special Tools	36-38
Bushing Extractors	
Bushing Removers	
Chevrolet Special Tools	
Chisels	
Chrysler Tools	
Door Hinge Pin Remover	
Drive Shaft and Axle Puller	
End Wrenches	
Fender Bolt Holder	. 25
Flexible Socket Wrenches	. 34
Ford Special Tools	49-59
Gauges	.30-31
Gear Pullers	
Hack Saw	. 15
Hack Saw Blades	. 15
Hammer, Brass	. 23
Hudson & Essex Special Tools	
Magic Fingers	. 27
Pipe Swage	
Pliers	
Plymouth Tools	. 47
Pump Packing Pick	. 26
Punches	
Reamers	
Ring Compressor	
Ring Groove Cleaner	
Rivet Set Punches	
Screw Drivers	. 12
Screw Drivers, Offset	. 25
Sockets	
Stud Bolt Wrenches	
Sure-Outs	
Tappet Wrenches	
Thread Restorer	
Valve Tools	. 28-29
Wheel Hub Pullers	.18-19
Wheel Pullers, Knock-Off Type	. 17

### FOR QUICK SERVICE USE THIS CARD!

PRINT PLAINLY AND GIVE YOUR RETURN ADDRESS


### TRUTH TOOL CO., MANKATO, MINN.

Please fill my order for the following tools and ship at once parcel post C. O. D.

NAMI	E OF TOOL	PRICE
		14 6 60
No. of the second		
		1.11
		1
		-
	TOTAL	
AME	and the second second	
AME		
TREET		
CITY	STATE	

DETACH HERE

Catalog No. 42



This Side for Address



# TRUTH TOOL COMPANY

Mankato,

Minnesota

# TRUTH GUARANTEED TOOLS

**T**RUTH salesmen are now showing the most complete line we have ever made. We invite you to compare and see why thousands of the best mechanics and garages have standardized on Truth Tools.

This catalog supersedes all previous issues. Prices subject to change without notice.

### TRUTH TOOL COMPANY MANKATO, MINNESOTA